# PIXMATS5150 SIMPLE AFFORDABLE FAMILY PRINTING WITH SMART CONNECTIVITY

Fun and affordable, this small, stylish family printer takes all the hassle out of creating beautiful borderless images and documents at home with smart wireless connectivity to your devices and the cloud.







- Connect to smart devices via range of options including Bluetooth<sup>®\*</sup> for easy Wi-Fi print and scan via Canon PRINT app
- Experience the freedom to print from social media and scan to the cloud\*\* with PIXMA Cloud Link
- Print more pages and save using optional XL FINE ink cartridges and auto 2-sided printing
- Control, view and connect with ease using easy access buttons and 6.2 cm colour screen
- Small, stylish and affordable All-In-One for high quality colour printing, copying and scanning at home

\*Equipped with Bluetooth® low energy technology (Bluetooth print and scan is only available on Android devices). The functions available with Bluetooth communication and the Canon PRINT Inkjet/SELPHY app are not guaranteed on all Android smartphones. The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by Canon Inc. is under license. Other trademarks and trade names are those of their respective owners.

\*\*Scan to cloud is only available to genuine Canon ink users.









2.5 <sub>Type</sub> (6.2cm) ★ TFT





### Product Range

送曹문



PIXMA TS8150 Series PIXMA TS6150 Series PIXMA TS5150 Series

PIXMA TS9150 Series

PIXMA TS8150 Series



PIXMA TS6150 Series



PIXMA TS5150 Series

### **TECHNICAL SPECIFICATIONS**

# **PIXMA** TS5150

GENERAL SPECIFICATIONS		SCANNER SPECIFICATIONS	
Functions	Wi-Fi, Print, Copy, Scan, Cloud	Scanner Type	CIS flatbed photo and document scanner
		Scanner Resolution	1200 x 2400 dpi <sup>[4]</sup>
PRINTER SPECIFICATIONS		(Optical)	
Print Resolution	Up to 4800 <sup>[1]</sup> x 1200 dpi	A4 Scan Speed	Approx. 14 sec <sup>[5]</sup>
Print Technology	2 FINE Cartridges (Black and Colour)	Scanning Depth	Colour: RGB each 16bit/8bit
Mono Print Speed	Approx.13.0 ipm <sup>[2]</sup>	(Input / Output)	Greyscale: 16 bit / 8 bit
Colour Print Speed	Approx. 6.8 ipm <sup>[2]</sup>	Maximum Document Size	216 x 297 mm
Photo Print Speed	Borderless 10 x 15cm : Approx. 43 seconds <sup>[2]</sup>		
Borderless Printing	Yes (A4, Letter, 20 x 25cm, 13 x 18cm, 10 x 15cm,	COPIER SPECIFICATIONS	50.07 ·
	13 x 13cm)	Copy Speed	sFCOT: Approx. 20sec <sup>[6]</sup> sESAT: Approx. 4.0ipm <sup>[6]</sup>
Two Sided Printing	Auto Duplex Print (A4, A5, B5, Letter - plain paper)	Multiple Copy	99 copies max.
		Copy Functions	Document Copying, Photo Copying,
CARTRIDGES AND YIELDS		copy functions	Borderless copy, 2-sided copy, 2-on-1 and
Standard Ink Cartridges	PG-540 (Black) CL-541 (Colour)		4-on-1 copy, Frame erase copy, ID copy
Optional XL Ink Cartridges	PG-540XL (Black)	Copy Zoom	25 - 400% (in 1% increments)
Opilolial XL link Califiages	CL-541XL (Colour)		Fit to page
Cartridge Yield	A4 colour documents printing <sup>[3]</sup>		A5 to A4, B5 to A4, A4 to A5 and A4 to B5
(Plain paper)	Black: 180 pages		
	Black XL: 600 pages	INTERFACE	
	Colour: 180 pages	Display Type & Size	6.2cm LCD (TFT colour)
	Colour XL: 400 pages	Display Languages	33 Languages Selectable: Japanese/
Cartridge Yield (Photo print)	10x15cm colour photo printing <sup>[3]</sup> Black: 2465* photos		English(mm & inch)/German/French/Italian/ Spanish/Dutch/Portuguese/Norwegian/Swedish/
(Photo phili)	Black XL: 7560* photos		Danish/Finnish/Russian/Czech/Hungarian/Polish/
	Colour: 69 photos		Slovene/Turkish/Greek/Simplified Chinese/
	Colour XL: 150 photos		Traditional Chinese/Korean/Indonesian/Slovakian/
	* Estimated supplemental yield		Estonian/Latvian/Lithuanian/Ukrainian/Romanian/
		Interferen Trans. DC / Mars	Bulgarian/Thai/Croatian/Vietnamese Hi-Speed USB (B Port)
PAPER SUPPORT		Interface Type - PC / Mac	Wi-Fi: IEEE802.11 b/g/n
Paper Types	Plain Paper		Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP,
	Canon High Resolution Paper (HR-101N) Canon Pro Platinum (PT-101)		Administration password
	Canon Plus Glossy II (PP-201)		Wireless LAN Frequency Band: 2.4GHz
	Canon Pro Luster (LU-101)	Interface Type - Other	Bluetooth Low Energy (BLE)
	Canon Plus Semi-gloss (SG-201)		Message In Print app
	Canon "Everyday Use" (GP-501)		PIXMA Cloud Link Canon PRINT Inkjet/SELPHY app
	Canon Matte (MP-101)		Canon Print Service Plugin (Android)
Maximum Paper Input	Envelopes Rear Tray: Max. 20 sheets (photo paper)		Google Cloud Print
Maximum aper input	Front Cassette: Max. 100 sheets (plain paper)		Apple AirPrint
Paper Sizes	Rear Tray: A4/A5/B5/LTR/LGL/20 x 25cm/		Wireless Direct
	13 x 18cm/10 x 15cm /13 x 13, Envelopes		Access Point Mode WLAN PictBridge
	(DL, COM10)		Mopria (Android)
	Front Cassette: A4, A5, B5, LTR		1
Paper Weight	Rear Tray: Plain paper 64 - 105 g/m <sup>2</sup> ,		
	Canon photo paper up to 300 g/m <sup>2</sup> Front Cassette: Plain Paper: 64-105 g/m <sup>2</sup>		
	noni Casselle. Flain Faper. 64-103 g/m-		



### **TECHNICAL SPECIFICATIONS**

# **PIXMA** TS5150

SOFTWARE Supported Operating Systems

Supported Mobile Systems Minimum System Requirements

Software Included

PHYSICAL FEATURES Weight Dimensions (W x D x H) Acoustic Noise Levels Recommended Operating Environment Power Source Power Consumption Windows 10, Windows 8, 1, Windows 7 SP1 Note: For Windows, .NET Framework 4.5.2 or 4.6 is required OS X 10.10.5-OS X 10.11, macOS 10.12 iOS, Android, Windows 10 Mobile Windows: 3.1 GB disk space, Internet Explorer 8 Mac: Internet connection, 1.5GB disk space, Safari 5 Display: 1024 x 768 XGA MP Driver including Scanning Utility My Image Garden with Full HD Movie Print <sup>[7]</sup> Quick Menu Easy-WebPrint EX (download) <sup>[8]</sup>

approx. 425 x 315 x 147mm approx. 43.5(A) <sup>[9]</sup> Temperature: 15-30°C Humidify: 10-80% RH (no dew condensation) AC 100-240V, 50/60Hz Off: Approx. 0.2W Standby (connected to PC via USB): Approx. 0.7W (scanning lamp off) Standby (all ports connected): Approx. 1.5W (scanning lamp is off) Time to enter Standby mode: 11minutes Copying: Approx. 14W <sup>[10]</sup>

- Footnotes
- <sup>[1]</sup> Ink droplets can be placed with a minimum pitch of 1/4800 inch
- <sup>[2]</sup> Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734.
- Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- <sup>[3]</sup> A4 colour documents printing Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printing. 10x15cm colour photo printing - Declared yield value in accordance with ISO/IEC 29102. Values obtained by continuous printing.
- 29 102, values obtained by continuous printing.
  [4] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- <sup>[5]</sup> Color document scan speed is measured with ISO/IEC 29183 Target A. Scan speed indicates the time measured between pressing the scan button of the scanner driver and the on-screen status display turns off. Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
- Scuti mode settings and adcument size etc.
  [6] Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183.
  Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- [7] Full HD Movie Print is available for MOV and MP4 movie files created by select Canon digital cameras and camcorders. Requires installation of software bundled with Canon video or digital camera, from which the movie was captured. MOV files require: ZoomBrowser EX / ImageBrowser (version 6.5 or later), MP4 files require: ImageBrowser EX (version 1.0 or later).
- <sup>(8)</sup> Easy-WebPrint EX requires Internet Explorer 8 or later
- <sup>[9]</sup> When printing ISO/JIS-SCID N2 pattern on 10x15cm Photo Paper Plus Glossy II using default settings.
- [10] When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.

#### Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of pager used atc.
- document complexity, print mode, page coverage, type of paper used etc.
  Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see
- www.canon-europe.com/ink/yield
   Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

#### What's in the box?

- All-In-One printer PIXMA TS5150
- Setup Ink Tanks
- Power cord

- Setup CD-ROM
- Manuals

Canon Inc. canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2017

